1 Identification of the or	ubstance/preparation and company/underta	kina
	ubstance/preparation and company/undena	ĸing
	ENEOS Outboard Plus 10W30	
	JX Nippon Oil & Energy Europe Limited.	
-	4th Floor, 4 Moorgate, London EC2R 6DA, U.K. +44-20-7186-0400	
	+44-20-7186-0419	
2. Composition/informat	ion on ingradianta	
Declarable components None		
Other components		
Highly refined petroleum oil > Additives <	75 25	
Additives	25	
<ol> <li>Hazards identification</li> </ol>	l	
Classification	This product is not classified as dangerous according criteria.	to EU
Health hazards	Vapour or mist in unusually high concentrations, for ex generated from spraying, or heating the product, or fro in poorly ventilated or confined spaces, may cause irri of the nose and throat, headache, nausea and drowsi	om us tation
Environmental hazards	The product is not classified as harmful.	
Fire and explosion hazards	The product is considered non-flammable on the basis flash point. Product does not have explosive propertie	
4. First-aid measures		
Inhalation	Remove exposed person to fresh air if adverse effects dizziness, drowsiness, or respiratory irritation) occur. medical attention for symptoms of difficulty in breathin	Obtair
Skin contact	Wash affected area with soap and water. Get medical attention if irritation occurs. Launder contaminated clo before re-use.	
Eye contact	In case of contact with eyes, irrigate with water for 15 minutes. Seek medical advice, especially if irritation o or symptoms persist.	ccurs
Ingestion	If swallowed, wash out mouth thoroughly and give war drink. Seek medical attention and show this safety da sheet. Do not induce vomiting, unless instructed by m personnel.	ta
	Give symptomatic treatment and supportive therapy.	

Date: 18 October 2010	Version: 2	Revision: 1
5. Fire-fighting measures	5	
Fire and explosive properties	The product is not flammable, but may burn if fire. The product does not have explosive pro	
Extinguishing media	Carbon dioxide, dry chemical and foam are re Be aware that product will float on water. Wat spread fire, or cause splattering. Remove con fire or cool them with water.	er jets may
Specific hazards	When burned, product forms smoke, and toxic or vapours.	c fumes, gases
Protective equipment for fire fighters	Fire fighters should wear an approved self-con breathing apparatus and full protective clothin	
6. Accidental release me	easures	
Personal precautions	Wear appropriate protective clothing (Se including respiratory protection, during rer spillages.	
Environmental precautions	Product is not classified as environmental Prevent leakage into the drainage system sand or other absorbent material. In the ev contact the emergency services and local aut	by diking with ent of spillage,
Method for cleaning up	Stop the source of leak or release. Clean up a possible, using appropriate techniques su materials or pumping. Where feasible an remove contaminated soil. Collect spill for place in suitable container for disposal in a local and national regulations. Wash contam with detergent. Follow prescribed procedures to larger spills and reporting to appropriate au	ch as sorbent ad appropriate, r disposal and ccordance with inated surfaces for responding

### 7. Handling and storage

Information for safe handling Wear protective clothing as in Section 8. Do not weld, heat or drill container. Replace cap or bung. Maintain minimum feasible handling temperature. Water contamination should be avoided. Caution: do not use pressure to empty drum, or drum may rupture with explosive force. Emptied container may still contain hazardous material, which may ignite with explosive violence if heated sufficiently.

**Storage** Periods of exposure to high temperatures should be minimized. Keep container closed when not in use.

Date: 18 October 2010	Version: 2
-----------------------	------------

Revision: 1

## 8. Exposure controls/personal protection

Engineering measures	No special ventilation is usually necessary. Good general ventilation is recommended. However, if operating conditions create high airborne concentrations, appropriate local exhaust ventilation may be needed.
Personal protective equipment	Chemical resistant gloves (eg nitrile) are recommended. Wear chemical safety goggles or face shield if splashing possible. Where more extensive contact may occur, wear suitable protective clothing (eg apron, sleeves, boots). Wear suitable respiratory protective equipment (breathing mask) if exposure to vapour is likely. PPE should be to European (EN) standards; consult manufacturers concerning breakthrough times.
Occupational exposure limits	No component has a workplace exposure limit (UK), or a European indicative occupational exposure limit value.

### 9. Physical and chemical properties

Appearance	Light brown liquid
Odour	Slight
Pour point	<–35 ℃
Boiling range	No data available
Flash point (typical)	226 °C (COC)
Explosive properties	None identified
Autoignition temperature	No data available
Vapour pressure	No data available
Density	0.879 g/cm³ at 15 ⁰C
Solubility: in water	Insoluble
Partition coefficient	No data available
Viscosity	No data available

### 10. Stability and reactivity

Stable under recommended storage and handling conditions. No hazardous polymerisation. **Conditions to avoid** Avoid prolonged storage at high temperature.

Materials to avoid	Acids, oxidising agents, acids, halogens and halogenated compounds.
Hazardous decomposition products	Thermal decomposition may produce smoke, carbon monoxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide and alkyl mercaptans and sulfides may also be released. Under combustion conditions, oxides of the following elements will also be formed: calcium, sulfur, and zinc.

Date: 18 October 2010	Version: 2	Revision: 1
11. Toxicological informa	ation	
The product has not been teste Acute toxicity	d for toxicological effects. LD <sub>50</sub> believed to be > 5000 mg/kg (pract Ingestion may cause abdominal discomf diarrhoea. Dermal toxicity believed to be Vapour or mist may cause, headache, na drowsiness.	ort, nausea, or > 3000 mg/kg.
Corrosivity/irritation	Vapours or mist may cause irritation of the Liquid may produce mild irritation of the	
Sensitisation	Not expected to be a sensitiser. One cor a very low level (< 0.01%) has been class sensitising substance.	• •
Repeated-dose toxicity	Prolonged exposure may result in nause diarrhoea, and physical discomfort.	ea, headache,
Mutagenicity/Carcinogen- icity/Reproductive toxicity	No component is known to have these h	azardous properties.
12. Ecological information		

Mobility	No information available
Persistence/degradability	The product is not classified as dangerous for the environment,
Bioaccumulation	but one component, present at a very low level (<0.01%), is
Toxicity	very toxic to aquatic organisms, and may cause long-term
	effects.

### 13. Disposal considerations

Disposal must be in accordance with current national and local regulations. Chemical residues generally count as special waste, and their disposal may be regulated in the EC member countries through corresponding laws and regulations. General EU requirements are given in the Waste Framework Directive (75/442/EEC) and the Hazardous Waste Directive (91/689/EEC). Procedures for the disposal of waste oils are described in Directive 75/439/EEC, as amended.

Containers of this material may be hazardous when emptied due to solid or vapor residue. All hazard precautions given in this data sheet must be observed for empty containers.

#### 14. Transport information

Not classified for transport.

Date: 18 October 20	.010
---------------------	------

Version: 2

Revision: 1

### 15. Regulatory information

#### **Classification and labelling according to EC Directives**

Classification	Not classified
Symbol and indication	
of danger:	None
Risk phrases:	None
Safety phrases:	None
Contains:	No declarable substances

#### **European Directives on chemical control:**

EU Directive 67/548/EEC (Dangerous Substances Directive), and 99/45/EC (Dangerous Preparations Directive) with amendments. This Safety Data Sheet is based on EU Directive 2001/58/EC. Personal protective equipment (PPE): 89/686/EEC. European occupational exposure limits: 2000/39/EC. Protection of health and safety of workers: 98/24/EC.

#### 16. Other information

The product is classified according to the calculation method given in 99/45/EC. Components are classified according to Annex 1 of 67/548/EEC, or are self-classified according to Annex VI of 67/548/EEC on the basis of available information. The classification for flammability is based on the flash point.

References

- 1. Handbook of Toxic and Hazardous Chemicals and Carcinogens (2<sup>nd</sup> ed.)
- 2. Registry of Toxic Effects of Chemical Substances (NIOSH, 1983).